

 PALM IntranetApplication Number

IDS Flag Clearance for Application 10602863

**IDS
Information**

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2003-10-21	16	Y <input checked="" type="checkbox"/>	2004-02-13 10:00:09.0	cparis
<input type="button" value="Update"/>					

10/602,863 INTERFERENCE SEARCH HISTORY PRINTOUT

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	((light guide (panel or plate)) or (light pipe)) and ((shelf or (show case) or cabinat\$4 or refrig\$6) or ((illuminat\$5 or light\$4) shelf)) and ((capsulat\$4 or encapsulat\$5) with (synthetic polymeric or copolymeric or plastic)) and support and housing and ((light source) or lamp or diod\$4).clm.	US-PGPUB	2006/08/28 17:43

	Type	Hits	Search Text	DBs
1	BRS	688	(illuminat\$5 or light\$4) shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	10071	light pipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	9482	(light guide (panel or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	S2 and S3 and (edge lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	S5 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	32	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	13	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	1	S1 and (edge lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	206	S1 and ((light transmit\$6) or transparent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	33	S1 and (((light transmit\$6) or transparent) (panel or shelf))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	2	S1 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	11	("20010055076" "5134549" "5349503" "5461547" "5521797" "5729311" "5775791" "5779338" "6130730" "6174064" "6582091").PN.	US-PGPUB; USPAT; USOCR
13	BRS	0	("6742907").URPN.	USPAT

	Type	Hits	Search Text	DBs
14	IS&R	66	((("3506325") or ("3662381") or ("3737651") or ("3754243") or ("4039894") or ("4112485") or ("4597035") or ("4689726") or ("4748546") or ("4929866") or ("4939625") or ("5034861") or ("5163748") or ("5287252") or ("5301090") or ("6309644") or ("5325271") or ("5353441") or ("5359503") or ("5369555") or ("5450297") or ("5460275") or ("5502623") or ("5590945") or ("5608550") or ("5613751") or ("5618096") or ("5626084") or ("5656014") or ("5774199") or ("5786665") or ("5876107") or ("5894539") or ("5894539") or ("5898814") or ("5902034") or ("5915824") or ("5921652") or ("5980058") or ("5987199") or ("6012820") or ("6027235") or ("6030108") or ("6042244") or ("6076950") or ("6079838") or ("5080105") or ("6139172") or ("6152575") or ("6184628") or ("6204180") or ("6213622") or ("6217188") or ("6231205") or ("6234648") or ("6250774") or ("6255786") or ("6280053") or ("6282821") or ("6283608") or ("6283612") or ("6289150") or ("6292901") or ("6297906") or ("6335999") or ("6347874") or ("6379016"))).PN.	USPAT
15	BRS	17811	(illuminat\$5 or light\$4) (shelf or panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	0	S1 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	213	(shelf or panel) with ((side or edge) lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
18	BRS	28	("3457447" "4074124" "4169675" "4367518" "4521835" "4545007" "4597034" "4941072" "5036436" "5103385" "5241459" "5276600" "5442533" "5453849" "5521797" "5523655" "5561346" "5565958" "5668913" "5671994" "5774278" "5863113" "5892621" "5934795" "5998921" "6186649" "6220722").PN.	US-PGPUB; USPAT; USOCR
19	BRS	1	("6550942").URPN.	USPAT
20	BRS	0	obrock-thomas-a.in.	USPAT
21	BRS	0	obrock-thomas-a.in.	US-PGPUB; USPAT
22	BRS	1	"20030038571"	US-PGPUB
23	BRS	36	312/408.ccls.	US-PGPUB
24	BRS	31	Bienick-craig.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	IS&R	1	("6422673").PN.	USPAT
26	BRS	46	312/408,112,117,122.ccls.	US-PGPUB
27	BRS	5561	362/31,551,555,559,565,33,127,133,2 25,240,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	974	312/408,112,117,122.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	6532	\$27 or \$28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	6166	362/602,605,606,608,609,610,611,612 ,613,614,615,551,555,559,565,33,127, 133,225,240,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	6771	\$28 or \$30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	66	\$31 and \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	8	\$32 and (((light transmit\$6) or transparent) (panel or shelf))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	367	\$31 and light pipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	49	\$31 and (edge lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	65	\$31 and (edge with lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	100	\$31 and ((edge or side) with lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	498	\$32 or \$33 or \$34 or \$35 or \$36 or \$37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
39	BRS	383	S38 and (light (tube or pipe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	357	S39 and @ad < "20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	20977	light (pipe or tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	122261	light with (pipe or tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	27321	S42 and (housing or casing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	3681	S42 and ((housing or casing) with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	21	S44 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	46	S44 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	3681	S44 or S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	65	S46 or S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	7	S49 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	1	S49 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	377	S42 with ((housing or casing) with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	30	S49 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	95	S42 and ((housing or casing) with (removable cover))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	662	S42 same ((housing or casing) with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	0	S42 same ((housing or casing) with (romov\$6 cover))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	22	S42 same ((housing or casing) with (remov\$6 cover))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	IS&R	3	((("4674211") or ("0385613") or ("4989122"))).PN.	USPAT
58	IS&R	3	((("4674211") or ("3835613") or ("4989122"))).PN.	USPAT
59	BRS	35693	(elong\$6 light source) or (light (pipe or tube)) or (fluorescent tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	0	S59 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
61	BRS	8	S52 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	209	S60 with ((housing or casing) with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	328	362/611,612,613,614.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	202	S59 and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	IS&R	1	("6135620").PN.	USPAT
66	BRS	12	("2922137" "3156841" "3358167" "3772559" "4229780" "4924368" "5291379" "5510965" "5585694").PN.	US-PGPUB; USPAT; USOCR
67	BRS	8	("6135620").URPN.	USPAT
68	BRS	2861810	synthetic or polymeric or copolymeric or plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	237	S68 and (illuminat\$5 or light\$4) shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	4405	S68 and (light pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	7	S69 and (light pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	35693	(elong\$6 light source) or (light (pipe or tube)) or (fluorescent tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	19703	(housing or cas\$5) same (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	19703	(housing or cas\$5) same (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	173	S72 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	34865	(light (pipe or tube)) or (fluorescent tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	13324	(housing or cas\$5) with (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	15900	(fluorescent tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	37	S77 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	65054	light (guide or panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	51	light (guide or panel) with (edge lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	24	S76 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
83	BRS	3675	S76 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	1476	S78 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	19	S78 and S80 and (edge lit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	191	(fluorescent tube) and (housing or cas\$5) and (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	233	(light pipe) and (housing or cas\$5) and (remov\$6 (cover or lid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	420	S86 or S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	0	S88 and (light guide panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	55	S88 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	679	362/576,92,125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	9482	(light guide (panel or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	1	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	136	362/576.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	321	362/92.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	233	362/125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	0	312/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	184	312/223.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	3	matyear-john.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	1031	((edge lit\$3) or (edge light\$3)) (panel or guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	BRS	390	(housing or frame) and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	BRS	798548	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	BRS	1447	S102 with (light pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
104	BRS	4	S101 and S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
105	BRS	12	("3864905" "4043636" "4573766" "4630895" "4915478" "5262928" "5378298" "5392199" "5461547" "5513288" "5600455" "5666172").PN.	US-PGPUB; USPAT; USOCR
106	BRS	15	("5883684").URPN.	USPAT
107	BRS	17	shelf and S100	USPAT
108	BRS	31	(shelf or (show case) or cabinat\$4 or refrig\$6) and S100	USPAT
109	BRS	31	S107 or S108	USPAT
110	BRS	21	("6390638" or "5915824" or "5987199" or "6042244" or "3506325" or "5980058" or "4689726" or "5034861" or "5287252" or "5626084" or "5163748" or "5502623" or "5774199" or "6179434" or "6364273" or "5283968" or "6210013" or "6135620" or "6679573" or "6471388" or "5359503").pn.	USPAT
111	BRS	24	("6390638" or "5915824" or "5987199" or "6042244" or "3506325" or "5980058" or "4689726" or "5034861" or "5287252" or "5626084" or "5163748" or "5502623" or "5774199" or "6179434" or "6364273" or "5283968" or "6210013" or "6135620" or "6679573" or "6471388" or "5359503" or "4674211" or "3835613" or "4989122").pn.	USPAT
112	BRS	25	("6390638" or "5915824" or "5987199" or "6042244" or "3506325" or "5980058" or "4689726" or "5034861" or "5287252" or "5626084" or "5163748" or "5502623" or "5774199" or "6179434" or "6364273" or "5283968" or "6210013" or "6135620" or "6679573" or "6471388" or "5359503" or "4674211" or "3835613" or "4989122" or "6786562").pn.	USPAT

	Type	Hits	Search Text	DBs
113	BRS	25	("6390638" or "5915824" or "5987199" or "6042244" or "3506325" or "5980058" or "4689726" or "5034861" or "5287252" or "5626084" or "5163748" or "5502623" or "5774199" or "6179434" or "6364273" or "5283968" or "6210013" or "6135620" or "6679573" or "6471388" or "5359503" or "4674211" or "3835613" or "4989122" or "6786562").pn.	USPAT
114	BRS	798548	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
115	BRS	5454	(cabinet or refrigerat\$5) shelf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
116	BRS	2495	(cabinate or refrigerat\$5) shelf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
117	BRS	271625	shelf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
118	BRS	22113	shelf and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
119	BRS	1351	shelf with S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
120	BRS	45	shelf with S114 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
121	BRS	8531	shelf with (illuminat\$4 or light or lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
122	BRS	83841	((transparent or clear or (light transmit\$6)) panel) or (light (guide or panel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
123	BRS	872	edge lit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
124	BRS	65	S122 with S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
125	BRS	3129	edge lit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
126	BRS	65	S125 with S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
127	BRS	83	S125 same S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
128	BRS	187	S125 and S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
129	BRS	8	S121 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
130	BRS	25629	light (tube or pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
131	BRS	167	S121 and S130 and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
132	BRS	272	S121 and S130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
133	BRS	799817	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
134	BRS	818943	S133 or S130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
135	BRS	1331	S121 and S134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
136	BRS	696	S121 and S134 and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
137	BRS	8	S121 and S134 and (edge lit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
138	BRS	8	S121 and S134 and (edge near lit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
139	BRS	9	S121 and S134 and (edge near lit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
140	BRS	6	("3612848" "5287252" "5390436" "5649754" "5836669" "5915855").PN.	US-PGPUB; USPAT; USOCR
141	BRS	453	S136 and @ad < "20030625"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
142	BRS	1	"602863".ap.	US-PGPUB
143	BRS	0	S142 and means and synthetic	US-PGPUB
144	BRS	0	S142 and means and (polymer\$5 or copolymer\$6)	US-PGPUB
145	BRS	0	JP00894-\$.did.	JPO; DERWENT; IBM_TDB
146	BRS	2	JP-08146894-\$.did.	JPO; DERWENT; IBM_TDB
147	BRS	0	PP-0970642-\$.did.	EPO; JPO; DERWENT; IBM_TDB
148	BRS	0	EP-0970642-\$.did.	EPO; JPO; DERWENT; IBM_TDB
149	BRS	2	EP-970642-\$.did.	EPO; JPO; DERWENT; IBM_TDB
150	BRS	2	DE-3400490-\$.did.	EPO; JPO; DERWENT; IBM_TDB
151	IS&R	1	("5758585").PN.	USPAT
152	BRS	1	DE-2946454-\$.did.	EPO; JPO; DERWENT; IBM_TDB
153	BRS	2	DE-3500870-\$.did.	EPO; JPO; DERWENT; IBM_TDB
154	BRS	0	EP-0564892-\$.did.	EPO; JPO; DERWENT; IBM_TDB
155	BRS	2	EP-564892-\$.did.	EPO; JPO; DERWENT; IBM_TDB
156	BRS	2	FR-2710510-\$.did.	EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
157	BRS	2	DE-3809859-\$.did.	EPO; JPO; DERWENT; IBM_TDB
158	BRS	2	DE-3612296-\$.did.	EPO; JPO; DERWENT; IBM_TDB
159	BRS	0	DE-9115901-\$.did.	EPO; JPO; DERWENT; IBM_TDB
160	BRS	0	DE-09115901-\$.did.	EPO; JPO; DERWENT; IBM_TDB
161	IS&R	3	((("4674211") or ("3835613") or ("4989122"))).PN.	USPAT
162	BRS	0	AU-003644084-\$.did.	EPO; JPO; DERWENT; IBM_TDB
163	BRS	0	AU-3644084-\$.did.	EPO; JPO; DERWENT; IBM_TDB
164	BRS	0	AU-3644084 A-\$.did.	EPO; JPO; DERWENT; IBM_TDB
165	BRS	0	AU-3644084 A.did.	EPO; JPO; DERWENT; IBM_TDB
166	IS&R	1	("5758585").PN.	USPAT
167	BRS	0	EP-0970642-\$.did.	EPO; DERWENT
168	BRS	0	EP-0970642a1-\$.did.	EPO; DERWENT
169	BRS	0	EP-00970642-\$.did.	EPO; DERWENT
170	BRS	159	("20010008460" "20010008464" "20010021445" "20010034823" "20030038571" "3506325" "3612848" "3662381" "3737651" "3754243" "4039894" "4112485" "4249231" "4597035" "4689726" "4748546" "4929866" "4939625" "5034861" "5163748" "5287252" "5301090" "5309544" "5325271" "5353441" "5359503" "5369555" "5450297" "5460275" "5502623" "5590945" "5608550" "5613751" "5618096" "5626084" "5656014" "5774199" "5786665" "5876107" "5894539" "5895111" "5897201" "5898814" "5902034" "5915824" "5921652" "5980058" "5987199" "0597199" "6012820" "6027235" "6030108" "6042244" "6076950" "6079838" "6080105" "6135620" "6139172" "6152575" "6184628" "6203180" "6210013" "6213622" "6217188" "6231205" "6234648" "6250774" "6255786" "6280053" "6282821" "6283608" "6283612" "6289150" "6292901" "6297906" "6335999" "6347874" "6379016" "6679573").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
171	BRS	279452	shelf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
172	BRS	0	S166 and ((edge lit) with panel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
173	BRS	0	S166 and ((clear or transparent or (light transmitting) with panel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
174	BRS	14	\$171 and ((edge lit) with panel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
175	BRS	69557	\$171 and ((clear or transparent or (light transmitting) with panel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
176	BRS	557	\$171 and ((clear or transparent or (light transmitting) with panel)) and (illuminat\$4 with edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
177	BRS	76	\$171 and (((clear or transparent or (light transmitting) with panel)) with (illuminat\$4 with edge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
178	BRS	4	\$174 and \$177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
179	BRS	86	\$174 or \$177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
180	BRS	8787	(housing or casing) and ((remov\$5 or detach\$5) (closure or cover)) and ((lamp or (light source) or light)) and support	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
181	BRS	20904	(housing or casing) and ((remov\$5 or detach\$5) with (closure or cover)) and ((lamp or (light source) or light)) and support	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
182	BRS	587	\$181 and ((light guide) or (light guide panel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
183	BRS	0	\$181 and ((light guide) or (light guide panel)) with ((side or edge) near3 lit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
184	BRS	193	\$181 and ((light guide) or (light guide panel)) with ((side or edge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
185	BRS	197	(light guide panel) and ((side or edge) with (illuminat\$4 or lit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
186	BRS	13142	(housing or casing) and ((remov\$5 or detach\$5) (closure or cover)) and ((lamp or (light source) or light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
187	BRS	4	\$185 and \$186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
188	BRS	233	(light guide panel) and ((side or edge) same (illuminat\$4 or lit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
189	BRS	4	\$186 and \$188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
190	BRS	1039	(light guide panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
191	BRS	6	\$186 and \$190	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
192	BRS	352	362/632-634,615.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
193	BRS	5	("2358203" "3497686" "5055978").PN.	US-PGPUB; USPAT; USOCR
194	BRS	7	("5211464").URPN.	USPAT
195	BRS	23	("2500511" "2522812" "2523290" "2716918" "2806939" "3497686" "3803737" "3968584" "4059916" "4674211" "4819353" "4922384" "4942685" "5124890" "5211464" "5262928" "5289351").PN.	US-PGPUB; USPAT; USOCR
196	BRS	7	("2523290").URPN.	USPAT
197	BRS	12	("1950548" "2644113" "3197902" "3591941" "4271458" "4385343" "4453200" "4475298" "4715137").PN.	US-PGPUB; USPAT; USOCR
198	BRS	2	("1950548").URPN.	USPAT
199	BRS	1039	(light guide panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
200	BRS	20904	(housing or casing) and ((remov\$5 or detach\$5) with (closure or cover)) and ((lamp or (light source) or light)) and support	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
201	BRS	587	\$200 and ((light guide) or (light guide panel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
202	BRS	59360	((light guide) or (light guide panel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
203	BRS	1	\$201 and "40"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
204	BRS	21	("3984931" "4229780" "4385343" "4435743" "4587597" "4587600" "4713019" "5122074" "5276591" "5370546" "5390094" "5410454" "5433024" "5445540" "5485291" "5603627" "5640792" "5727869" "5877585" "5918396" "5964515").PN.	US-PGPUB; USPAT; USOCR
205	BRS	8	("6471388").URPN.	USPAT
206	BRS	60	\$201 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
207	BRS	8	("6471388").URPN.	USPAT
208	BRS	6	("3591941" "4385343" "5020252" "5251392" "5276591" "5365411").PN.	US-PGPUB; USPAT; USOCR
209	BRS	25	("5640792").URPN.	USPAT

	Type	Hits	Search Text	DBs
210	BRS	9	("3399476" "3605303" "3748769" "4697365" "5215285" "5433024" "5640792").PN.	US-PGPUB; USPAT; USOCR
211	BRS	20	("5842297").URPN.	USPAT
212	BRS	17	("2082724" "2206866" "2611981" "2994148" "3591941" "5228223" "5365411" "5433024" "5537766" "5570971" "5640792" "5842297" "5950340").PN.	US-PGPUB; USPAT; USOCR
213	IS&R	1	("6481130").PN.	USPAT
214	BRS	41	bienick-craig.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
215	BRS	1	(bienick-craig.in.) and (molded near one near piece)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
216	BRS	35	(bienick-craig.in.) and (polymeric or copolymeric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
217	BRS	14631	(molded near one near piece)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
218	BRS	19	encapsulat\$4 with (molded near one near piece)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
219	BRS	49	encapsulat\$4 same (molded near one near piece)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
220	BRS	14631	S217 or S218 or S219	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
221	BRS	14631	S217 or S218 or S219 and shelf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
222	BRS	795	(S217 or S218 or S219) and shelf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
223	BRS	1788628	illuminat\$4 or (light source) or lamp or diod\$4 or (light pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
224	BRS	89	S220 and shelf and S223	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
225	BRS	2	jp-08146894-\$.did.	JPO; DERWENT
226	BRS	737	(illuminat\$5 or light\$4) shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
227	BRS	11014	light pipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
228	BRS	11082	(light guide (panel or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
229	BRS	41	Bienick-craig.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
230	BRS	7101	(illuminat\$5 or light\$4) with shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
231	BRS	5489	(bar with (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
232	BRS	16370	S227 or S231	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
233	BRS	225617	shelf or S230	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
234	BRS	777	S232 and S233	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
235	BRS	18	S235 and S226	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
236	BRS	598	S234 and @ad < "20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
237	BRS	10294	(cabinet or refrigerator) with shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
238	BRS	12883	(cabinet or refrigerator or book) with shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
239	BRS	18	S238 and S227	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
240	IS&R	1	("5915855").PN.	USPAT
241	BRS	8	("5262928" "5440464" "5499165" "5521797" "5555654" "5572818" "5709447" "5791757").PN.	US-PGPUB; USPAT; USOCR
242	BRS	17	("5915855").URPN.	USPAT
243	IS&R	3	((("6655809") or ("6280044") or ("6607297"))).PN.	USPAT
244	BRS	6	("5237638" "5664863" "5857761" "5915855" "6283602" "6431716").PN.	US-PGPUB; USPAT; USOCR
245	BRS	0	("6655809").URPN.	USPAT
246	BRS	0	("6655809").URPN.	USPAT
247	BRS	4	("20020008969" "5664862" "5857761" "5915855").PN.	US-PGPUB; USPAT; USOCR
248	BRS	500	362/133,125.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
249	BRS	11088	(light guide (panel or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
250	BRS	1	S269 and S270	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
251	BRS	77	S250 and S251	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
252	IS&R	1	("6680200").PN.	USPAT

	Type	Hits	Search Text	DBs
253	BRS	29	("20030009933" "3233146" "3514668" "3529379" "3876907" "3898643" "3905153" "3930335" "3931695" "4037148" "4084905" "4146993" "4156166" "4255897" "4396872" "4626065" "4650336" "4724633" "4732443" "4749916" "4768390" "4914858" "5012609" "5111612" "6150158" "6554450").PN.	US-PGPUB; USPAT; USOCR
254	BRS	1	"602863".ap. and bracket	US-PGPUB
255	BRS	1	"602863".ap. and lens	US-PGPUB
256	BRS	1	"602863".ap. and slid\$6	US-PGPUB
257	BRS	404	312/408.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
258	BRS	0	312/408.ccls. and S270	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
259	BRS	904	362/133,125.ccls. or 312/408.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
260	BRS	66	362/602,605,606,608,609,610,611,612 ,613,614,615,551,555,559,565,33,127, 133,225,240,800,812.ccls. and S250	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
261	BRS	995	312/408,112,117,122.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
262	BRS	0	362/133,125.ccls. and 312/408.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
263	BRS	1	"602863".ap. and vertical\$4	US-PGPUB
264	BRS	3	312/408,112,117,122.ccls. and S250	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
265	BRS	1	"602863".ap. and vertical\$4	US-PGPUB
266	BRS	2	40/546.ccls. and S250	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
267	BRS	163710	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
268	IS&R	2	((("5359503") or ("4737896"))).PN.	USPAT
269	BRS	1	("6680200").URPN.	USPAT
270	BRS	6738	362/602,605,606,608,609,610,611,612 ,613,614,615,551,555,559,565,33,127, 133,225,240,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
271	BRS	1	"602863".ap. and (light pipe)	US-PGPUB
272	BRS	1	"602863".ap.	US-PGPUB
273	BRS	737	(illuminat\$5 or light\$4) shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
274	BRS	205460	(shelf or (show case) or cabinet\$4 or refrig\$6)	USPAT
275	BRS	2	S284 and S277	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
276	BRS	5	S284 and S287 and ((edge or side) lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
277	BRS	596	S284 and S287	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
278	BRS	24212	S275 or S276	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
279	BRS	0	((light guide (panel or plate)) or (light pipe)) and ((shelf or (show case) or cabinet\$4 or refrig\$6) or ((illuminat\$5 or light\$4) shelf)) and ((capsulat\$4 or encapsulat\$5) with (synthetic polymeric or copolymeric or plastic)) and support and housing and ((light source) or lamp or diod\$4).clm.	US-PGPUB
280	BRS	205898	S274 or S279	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
281	BRS	33	S288 and S283	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
282	BRS	0	((light guide (panel or plate)) or (light pipe)) and ((shelf or (show case) or cabinet\$4 or refrig\$6) or ((illuminat\$5 or light\$4) shelf)) and ((capsulat\$4 or encapsulat\$5) with (synthetic polymeric or copolymeric or plastic)) and support and housing and ((light source) or lamp or diod\$4).clm.	US-PGPUB
283	BRS	20	((light guide (panel or plate)) or (light pipe)) and ((shelf or (show case) or cabinet\$4 or refrig\$6) or ((illuminat\$5 or light\$4) shelf)).clm.	US-PGPUB
284	BRS	7888	362/602,605,606,608,609,610,611,612,613,614,615,551,555,559,565,33,127,133,225,227,240,800,812,632,633,634.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
285	BRS	9878	S281 or S282	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
286	BRS	0	S274 and S277	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
287	BRS	3100	312/408,112,117,116,140,122,223.5,.c cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
288	BRS	262	(shelf or panel) with ((side or edge) lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
289	BRS	58	S275 and S276	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
290	BRS	12504	(light guide (panel or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
291	BRS	11766	light pipe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
292	BRS	774	(illuminat\$5 or light\$4) shelf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
293	BRS	3100	312/408,112,117,116,140,122,223.5,.c cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
294	BRS	7888	362/602,605,606,608,609,610,611,612 ,613,614,615,551,555,559,565,33,127, 133,225,227,240,800,812,632,633,634 .ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
295	BRS	262	(shelf or panel) with ((side or edge) lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
296	BRS	0	((light guide (panel or plate)) or (light pipe)) and ((shelf or (show case) or cabinat\$4 or refrig\$6) or ((illuminat\$5 or light\$4) shelf)) and ((capsulat\$4 or encapsulat\$5) with (synthetic polymeric or copolymeric or plastic)) and support and housing and ((light source) or lamp or diod\$4).clm.	US-PGPUB
297	BRS	10956	S294 or S295	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB